

INDEX MAPS.

T. 6 N. R. 8 E. 2nd Mer.

	6		6		6		5		5		8	
		7		7		7		7				
10	6	31	5	30	4	24	3	18	2	14	1	5
	31		30		25		24		17		14	
10	7	30	8	25	9	23	10	17	11	14	12	4
	29		29		25		23		17		13	
9	18	29	17	24	16	23	15	16	14	13	13	4
	28		28		22		20		16		12	
9	19	28	20	22	21	20	22	16	23	12	24	3
	27		27		21		19		15		12	
8	30	27	29	21	28	19	27	15	26	11	25	3
	26		26		21		19		15		11	
8	31	26	32	20	33	18	34	14	35	11	36	2
	2		2		1		1		1		1	

T. 7 N. R. 8 E. 2nd Mer.

	40	40	40	39	39	38						
43	6	64	5	58	4	54	3	51	2	47	1	38
	63		54		58		54		50		46	
42	7	63	8	58	9	54	10	50	11	46	12	37
	62		62		57		53		50		46	
42	18	62	17	57	16	53	15	49	14	45	13	37
	61		61		57		53		49		45	
41	19	61	20	56	21	52	22	49	23	45	24	36
	60		60		56		52		48		44	
41	30	60	29	55	28	52	27	48	26	44	25	36
	59		59		55		51		48		44	
41	31	59	32	55	33	51	34	47	35	43	36	35
	34		33		33		33		33		33	
	34		34		34		35		35		35	

The figures on the lines refer to the page.

33

Township N.^o 7 North, Range N.^o 8 East 2.^d Mer. Ind.^a
chs. lth.

South Boundary

West On Rand^m S. boundary of Sec. 36 (S 89 1/2° W)

40.00 At temp^y. q^r. Sec. post

80.00 At temp^y. Cor. to Sec. 35 & 36

Land level timber Beech &c

West On Rand^m S. boundary of Sec. 35

13.70 a Brook 3 lth. wide Course S.

22.70 a do 10 " " " N 80 E

27.50 a do 20 " " " S. 4° W.

40.00 At temp^y. q^r. Sec. post

62.40 a Brook 20 lth. wide Course S 15 E

75.50 a Creek 100 " " " S 75 E

80.00 At temp^y. Cor. to Sec. 34 & 35

Land waving, timber Beech, Sugar Oak
Alder, Poplar &c. Nov. 8. 1886

West On Rand^m S. boundary of Sec. 34

30.40 a Brook 8 lth. wide Course N. E.

40.00 At temp^y. q^r. Sec. post

40.20 a Brook 5 lth. wide Course S. E.

80.00 At temp^y. Cor. to Sec. 33 & 34

Land waving, timber Beech, Gum, Oak &c.

West On Rand^m S. boundary of Sec. 33

16.10 a Brook 10 lth. wide Course S. W.

29.50 a do 6 " " " S.

40.00 At temp^y. q^r. Sec. post

40.30 a Brook 4 lth. wide Course S. E.

80.00 At temp^y. Cor. to Sec. 32 & 33

Land waving, timber Oak, Hick^y. ash, Beech &c.

West On Rand^m S. boundary of Sec. 32

8.60 a Brook 6 lth. wide Course N. W.

11.80 a do 6 " " " N. W.

40.00 At temp^y. q^r. Sec. post

34

Tpt P86.2nd Mer. Indianach²th₂44.75 a Brook 8th. wide Course S.

55.40 a do. 8 " " " S.

63.00 a do. 6 " " " S.

71.50 a do. 10 " " " S.

76.70 a do. 4 " " " S.

80.00 Set temp^y. Cor. to Sec^s. 31 & 32

Land &c. Same as on last mile

West On Rand^m. S. boundary of Sec 3110.18 a Brook 4th. wide Course S.W.

11.60 a do. 6 " " " S.

72.70 a do 8 " " " N 80 W

73.15 intersected the N. boundary 106th. S. of post
Cor. to Town 6 of N. Range 7 of 8 E.
Waringland, timber Oak, Hickory, Beech, ash &c

East On true line S. boundary of Sec. 31

13.16 a Beech 13th. in. dist.

33.15 set of Sec. post, from which

a Beech 17th. in. dist. bear N 41 E 19th. dist.

a do. 13 " " " N 89 W 45 " "

73.15 set post Cor. to Sec^s. 31 & 32, from whicha Beech 15th. in. dist. bear N 59 W 21th. dist.

a do. 11 " " " N 59 E 11 " "

East On true line S. boundary of Sec. 32

21.00 a B. Oak 36th. in. dist.

40.00 set of Sec. post, from which

a Sugar 14th. in. dist. bear N 71 1/2 W 40th. dist.

a do. 15 " " " N 59 E 48 " "

80.00 set post Cor. to Sec^s. 32 & 33, from whicha Hickory 20th. in. dist. bear N 59 W 7th. dist.

a B. Oak 24 " " " N 62 E 30 " "

East On true line S. boundary of Sec. 33

40.00 set of Sec. post, from which

35

Tyler R & E. 2nd Mer. Indiana

ch. 1/4

a W. Oak 16 in. dia. - bran N 53 E 23 1/2 km. dist. of
 a Hickory 13 " " " N 38 W 7 " "
 60.10 a Poplar 40 " " "
 80.00 at post Cor. to Sec. 33 & 34, from which
 a Poplar 42 in. dia. - bran N 36 E 10 1/2 km. dist. of
 a Sugar 12 " " " N 31 W 26 " "

East On true line S. boundary of Sec. 34
 20.40 a Sweet Gum 18 in. dia.
 40.00 at gr. Sec. post, from which
 a Beech 9 in. dia. - bran N 47 E 11 1/2 km. dist. of
 a Do. 16 " " " N 9 W 31 " "
 80.00 at post Cor. to Sec. 34 & 35, from which
 a Maple 13 in. dia. - bran N 17 E 16 1/2 km. dist. of
 a Beech 5 " " " N 67 W 7 " "

East On true line S. boundary of Sec. 35
 40.00 at gr. Sec. post, from which
 a Beech 28 in. dia. - bran N 61 W 2 km. dist. of
 a Do. 18 " " " N 28 W 6 " "
 80.00 at post Cor. to Sec. 35 & 36, from which
 a Beech 20 in. dia. - bran N 60 E 16 km. dist. of
 a Do. 18 " " " N 61 W 20 " "

East On true line S. boundary of Sec. 36
 36.25 a W. Oak 36 in. dia.
 40.00 at gr. Sec. post, from which
 a W. Oak 60 in. dia. - bran N 55 E 16 km. dist. of
 a Beech 8 " " " N 16 1/2 E 19 " "
 56.03 a Do. 36 " "
 63.08 a W. Oak 40 " "
 80.00 to the Town Corner. November 9th 1876

East Boundary. var. 5. 30' E.
 North On E. boundary of Sec. 36
 11.90 a B. Gum 32 in. dia.

36

T. A. R. & E. 2^d Mer. Indiana

ch. P. L. H.

28.08 a B. Oak 36 in. diam.

40.00 Let gr. Sec. post, from which
a Beech 10 in. diam. bray N 10 E 28 lns. dist. of
a do. 13 " " " S 21 W 21 " "

61.27 a S. Gum 15 " "

80.00 Let post cor. to Sect. 25 of 36, from which
a Beech 15 in. diam. bray S 33 W 25 lns. dist. of
a do. 20 " " " N 51 E 18 " "
Sand flat, timber Beech, Oak, Poplar &c
a water course 4 lns. wide runs N. W.

North On E. boundary of Sec. 25

9.70 a Brook 6 lns. wide course W.

11.00 a Beech 32 in. diam.

24.38 a do. 18 " "

35.75 a Brook 4 lns. wide course W.

38.50 a do 6 " " " W.

40.00 Let gr. Sec. post, from which
a Beech 18 in. diam. bray N 34 W 20 lns. dist. of
a do. 18 " " " S 34 E 18 " "

49.75 a Poplar 48 " "

63.30 a Brook 12 lns. wide course S. W.

80.00 Let post cor. to Sec. 24 of 25, from which
a Beech 17 in. diam. bray S 49 E 15 lns. dist. of
a do. 10 " " " N 41 W 11 " "
Sand flat, timber Beech, some Poplar, Gum &c.

North On E. boundary of Sec. 24

3.45 a Beech 24 in. diam.

8.60 a Brook 5 lns. wide course W.

22.50 a do 6 " " " S. W.

40.00 Let gr. Sec. post, from which
a Beech 10 in. diam. bray N 30 W 15 lns. dist. of
a Sugar 14 " " " S 19 W 19 " "

47.25 a Creek 100 lns. wide course S. 80 W

57.10 a Brook 5 " " " S. E.

S. N. P. & E. 2^d. Mer. Indiana

37

ch. l. l. l.

73.52 a Brook 4 l. h. wide Course W.

74.20 a Beech 18 m. dia.

80.00 Set post cor. to Sec. 13 of 24, from which
a Beech 40 m. dia. branch N 15° W 12 l. h. dia. of
a d. l. o. 10 " " " S 36° E 16 " "

Land first 30 ch. flat - remainder varying timber
Beech, Sugar, Oak, Poplar &c.

North On E. boundary of Sec. 13

12.40 a Brook 4 l. h. wide Course S. W.

16.53 a Beech 18 m. dia.

32.50 a Brook 6 l. h. wide Course S. W.

40.00 Set of. Sec. post, from which
a Beech 12 m. dia. branch N 79° E 12 l. h. dia. of
a d. l. o. 16 " " " S 66° W 11 " "

46.66 a Beech 12 " "

55.79 a d. l. o. 24 " "

57.75 a Brook 6 l. h. wide Course W.

59.92 a Beech 24 m. dia.

70.00 Kirby's trace from Cincinnati to Vincennes

73.23 a Brook 6 l. h. wide Course W.

80.00 Set post cor. to Sec. 12 of 13, from which
a Beech 10 m. dia. branch N 85° E 26 l. h. dia. of
a d. l. o. 9 " " " S 87 1/2° W 17 " "

Land level, timber Beech, some Poplar
Oak, Hickory, Sugar &c.

North On E. boundary of Sec. 12

3.95 a Brook 4 l. h. wide Course W.

4.13 a P. Gum 24 m. dia.

29.05 a Beech 16 " "

33.50 a Brook 8 l. h. wide Course W.

40.00 Set of. Sec. post, from which
a Beech 24 m. dia. branch N 83° E 10 l. h. dia. of
a d. l. o. 10 " " " S 60° W 10 " "

57.47 a Brook 8 l. h. wide Course S. W.

Ty N 8 E. 2^d. Mer Indiana

ch. P. 1st
80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 11 in. dia. - bran N 5th W 14th dist. of
a Do. 10 " " " " S 1 E 14 " "
Land level, timber Beech, Hickory, Maple
Oak, poplar &c.

North On E. boundary of Sec. 1

15.34 an Elm 16 in. dia.

31.40 a Brook 6th wide Course W.

34.00 a Do. 10 " " " W.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. - bran N 28th E 17th dist. of
a Do. 11 " " " " S 82th W 25 " "

44.83 a Do. 16 " " "

48.10 a Brook 10th wide Course S. W.

65.40 a Beech 11 in. dia.

75.55 a W. Oak 48 " " "

80.00 Set post Cor. to Township 7 & 8 North, of
Range 8 & 9 E, from which
a Beech 30 in. dia. - bran N 65th W 6th dist. of
a Do. 14 " " " " S 38th E 22 " "
Land flat, timber Beech, Oak, Hickory, Gum
Maple &c. Nov. 10th 1886

North Boundary

Nest (or S 89th W) On S. boundary of Sec. 36, T 8 N, R 8 E.

6.12 a Beech 44 in. dia.

18.75 a Do. 18 " " "

40.00 Set of Sec. post, from which
a Poplar 60 in. dia. - bran S 23th E 25th dist. of
a Beech 16 in. " " " " S 14th W 14 " "

46.10 a Brook 15th wide Course N 85th W

50.20 a Spring rises 10th S. of line, runs N.

51.50 a Do Do 10th S. of " " " N.

54.00 a Creek 50th wide Course S. W.

75.00 Same Creek runs with the line 350th, where

39
T^h N. R8 E. 2ⁿ. Mer. Indiana
ch. l^y

it leaves a little S. of the line
80.00 At post Cor. to Sec. 35 & 36, from which
a Beech 20 in. dia. bray N 13 E 13th. dist. of
a do. 24 " " " N 14 E 25 "
Land waving, timber Beech, Oak, Sugar,
Ash, Poplar &c.

Met On S. boundary of Sec. 35, T^h N. R8 E.

5.50 Same brook, line runs with it 500 l^y. then S. W.
40.00 At q^r. Sec. post, from which
a Beech 6 in. dia. bray N 49 W 25 l^y. dist. of
a do 6 " " " N 44 E 20 " "
42.95 a do. 18 " "
46.00 a Creek 120 l^y. wide Course S.
56.66 a P. Gum 36 in. dia.
74.50 a Brook 4 l^y. wide Course S.
75.34 a Beech 32 in. dia.
80.00 At post Cor. to Sec. 34 & 35, T^h N. R8 E, from which
a Sugar 13 in. dia. bray S 56 W 10 l^y. dist. of
a do. 13 " " " S 76 E 19 " "
Land waving, timber, Beech, Sugar, Oak, Ash &c

Met On S. boundary of Sec. 34, T^h N. R8 E.

5.00 a Brook 6 l^y. wide Course S.
7.30 a Beech 24 in. dia.
12.25 a Creek 120 l^y. wide Cr. N 60 W, (same as in last 1/2 mile)
26.00 Same Creek, line runs down it, touch the N.
bank as it passes, 12.50 l^y. Comes out on S.
side where it runs N 80 W.
40.00 At q^r. Sec. post, from which
a P. Oak 17 in. dia. bray N 72 W 23 l^y. dist. of
a Sugar 8 " " " N 63 E 18 " "
42.50 a Beech 30 " "
51.50 Same Creek runs S. (good stream for Mills)
67.17 a Beech 20 in. dia.
73.25 a Brook 6 l^y. wide Course S. E.

T^h N. R⁸ E. 2.^d Mer. Indiana

ch^d 80.00 At post Cor. to Sec^s 33 & 34, T^h N. R⁸ E. from which
a P. Walnut 30 m. dia. bran N 15 E 18 lns. dist. of
a Beech 7 " " " S 50 E 20 "
Sand waving, timber Beech, Oak, Poplar
ash &c.

West On S. boundary of Sec 33, T^h N. R⁸ E.

31.50 a Brook 6 lns. wide Course S. W.

40.00 At gr. Sec. post, from which
a Beech 6 m. dia. bran N 41 E 31 lns. dist. of
a Do. 6 " " " S 31 W 19 " "

47.50 a Brook 10 lns. wide runs with the line

54.25 leave it runs N. W.

60.70 a Creek 30 lns. wide Course S. W.

80.00 At post Cor. to Sec^s 32 & 33, T^h N. R⁸ E. from which
a Sugar 13 m. dia. bran N 28 E 34 lns. dist. of
a Beech 5 " " " S 51 W 11 " "
Sand waving, Beech, Sugar, Oak, ash &c.

West On S. boundary of Sec. 32, T^h N. R⁸ E

12.67 Intersected the boundary, At post, from which
a Beech 32 m. dia. bran N 66 E 22 lns. dist. of
a Do 5 " " " S 35 W 7 " "

Surveyed November 11th 1806. By

John Brownson L. S.

Continued from the Indian boundary

40.69 (whole length) At gr. Sec. post, from which
a Beech 30 m. dia. bran N 66 E 32 lns. dist. of
a Sugar 12 " " " S 32 W 25 " "

43.69 a Branch 8 lns. wide Course S.

80.00 At post Cor. to Sec^s 31 & 32, from which
a Beech 30 m. dia. bran N 58 W 40 lns. dist. of
a Do. 6 " " " S 69 E 7 " "
Broken land good soil, Beech Poplar &c.

West On S. boundary of Sec. 31, T^h N. R⁸ E.

41

Ty N R 8 E, 2^d Mer. Indiana

ch² lth
 40.00 Set of Sec. post, from which
 a Beech 20 m. diam. bearing N 62° W 25 lth. dist. of
 a Do. 12 " " " 167 E 24 " "
 75.25 Intersected the Town Corner.
 June 3^d 1819. — John McDonald, D.S.

I¹ West Boundary var. 5.50' E.
 North On E. boundary of Sec. 36, Ty N. R 7 E.
 8.00 a Brook 3 lth. wide Course N.
 31.00 a Do. 3 " " " N.
 40.00 Set of Sec. post, from which
 a W. Oak 24 m. diam. bearing N 45° W 25 lth. dist. of
 a Beech 12 " " " 172 E 14 " "
 42.50 a Brook 20 lth. wide Course S. W.
 52.00 a Do. 3 " " " E.
 55.00 a Beech 24 m. diam.
 80.00 Set post Cor. to Sec. 25 of 36, Ty N. R 7 E, from which
 a Poplar 36 m. diam. bearing N 12° W 8 lth. dist. of
 a Beech 16 " " " 111 E 29 " "
 Good land, timber Beech, Poplar, Oak &c.

North On E. boundary of Sec. 25 Ty N. R 7 E.
 27.20 a Beech 15 m. diam.
 40.00 Set of Sec. post, from which
 a Sugar 12 m. diam. bearing S 53° W 26 lth. dist. of
 a Beech 16 " " " 163 E 28 " "
 65.50 a Brook 4 lth. wide Course W.
 77.50 a W. Oak 15 m. diam.
 80.00 Set post Cor. to Sec. 24 of 25, Ty N. R 7 E, from which
 a Beech 8 m. diam. bearing N 42° W 4 lth. dist. of
 a W. Oak 12 " " " 130 E 20 " "
 Good land, timber Beech, Poplar Oak &c.

North On E. boundary of Sec. 24, Ty N. R 7 E.
 6.50 a Brook 6 lth. wide Course W.
 16.20 a Sugar 16 m. diam.

T^y N. R8 E. 2^d. Mer. Indianach^lth^y

- 30.50 a Brook 3^lth. wide Course N.
 34.50 a do 5 " " " N.
 40.00 Set of Sec. post, from which
 a Beech 12 mi. dia^r. bran N 86^o 16^lth. dist^y
 a Sugar 12 " " " N 70 E 15 " "
 67.00 a Brook 10^lth. wide Course N.
 70.00 a Creek 40^lth. " " S. N.
 75.60 a P. Oak 40 mi. dia^r.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 an Elm 14 mi. dia^r. bran N 22 E 6^lth. dist^y
 a Beech 6 " " " N 2 E 16 " "
 Land Good, timber Beech, Sugar, Elm &c.

North On E. boundary of Sec. 13, T^y N. R7 E.

- 40.00 Set of Sec. post, from which
 a Sugar 12 mi. dia^r. bran N 39^o 20^lth. dist^y
 a Walnut 12 " " " N 16 E 27 " "
 61.00 a Brook 3^lth. wide Course S. N.
 80.00 Set post Cor. to Sec. 12 of 13, T^y N. R7 E. from which
 a W. Oak 36 mi. dia^r. bran S 56^o 12^lth. dist^y
 a Beech 12 " " " N 53 E 10 " "
 Land rich, timber Beech, Oak, Sugar &c

North On E. boundary of Sec. 12, T^y N. R7 E.

- * 24.30 a Beech 15 mi. dia^r.
 24.50 a Brook 3^lth. wide Course N. E.
 40.00 Set of Sec. post, from which
 a Beech 16 mi. dia^r. bran N 7 E 15^lth. dist^y
 a do. 6 " " " N 27^o 19 " "
 53.50 a Poplar 36 " "
 62.00 a Brook 5^lth. wide Course N.
 67.00 Intersected Indian boundary Set post, from which
 a Beech 8 mi. dia^r. bran N 47^o 3^lth. dist^y
 a do. 15 " " " N 42 E 8 " "
 Level land timber Beech Oak &c.
 October 2^d. 1806. Alex^a. Holmes, d. S.

43

Ty. N. R. 8 E. 2^d. Mer. Indiana

ch. lth

80.00 At post cor. to Sec. 1 & 12, Ty. N. R. 7 E, from which
a Beech 9 mi. dir. bear S 81° W 16 lth. dist. of
a dogw. 6 " " " N 54 E 14 " "
Broken land, timber Beech &c.

North On E. boundary of Sec. 1, Ty. N. R. 7 E.

11.00 a Branch 4 lth. wide Course S. W.

12.00 a Creek 20 lth. " " S W.

30.00 left same Creek coming from N. W.

40.00 At q. Sec. post, from which

a Beech 20 mi. dir. bear S 42° W 15 lth. dist. of

a Sugar 6 " " " S 28 E 21 " "

53.50 a Creek 20 lth. wide Course S. W.

80.00 At post cor. to Townships 7 & 8 North, Ranges
7 & 8 East from which

a Sugar 14 mi. dir. bear N 51° W 21 lth. dist. of

a Beech 21 " " " S 71 E 44 " "

(Description of land &c. Omitted)

June 3rd 1819

Surveyed By John McDonald

Deputy Surveyor

Subdivision, Dec. 25th 1806

North Between Sec. 35 & 36, Ty. N. R. 8 E.

20.09 a Beech 8 mi. dir.

30.00 a Small brook Course N. W.

40.00 At q. Sec. post, from which

a Beech 18 mi. dir. bear S 65° W 24 lth. dist. of

a do. 15 " " " S 82 E 5 " "

63.01 a do. 10 " "

80.00 At post cor. to Sec. 25, 26, 35 & 36, from which

a Beech 27 mi. dir. bear S 32 E 11 lth. dist. of

a do. 8 " " " S 71° W 36 lth. " "

Sand rolling, timber Beech, Poplar, Ash,
Sugar, Oak &c. Muddling farming land

T. N. R & E. 2^d. Mer. Indiana

ch. 1/2

East On Rand^m. between Sec^s. 25 & 3640.00 At temp^y. of Sec. post79.63 intersected E. boundary 65 lns. S. of post
Rolling land, timber same (not good farming
thick underg^{ts} of Hogwood, Sassafras, Spice
and greenbrier.West On true line between Sec^s. 25 & 3639.81' at of Sec. post at average dist. from which
a Beech 20 m. dist. from N 46° 12' E 1/2 lns. dist. to
a do. 10 " " " S 20° E 9 " "

79.63 to Sec. Corner

North Between Sec^s. 25 & 26

2.00 a Brook 10 lns. wide Course W.

24.25 a Beech 7 m. dist.

40.00 At of Sec. post, from which
a Beech 8 m. dist. from N 79° E 19 lns. dist. to
a do. 10 " " " S 85° W 28 " "

59.00 a Brook 8 lns. wide Course W.

61.93 a Beech 12 m. dist.

72.00 a Brook 10 lns. wide Course W.

80.00 At post Cor. to Sec^s. 23, 24, 25 & 26, from which

a Beech 9 m. dist. from N 60° W 19 lns. dist. to

a do. 30 " " " S 37° W 28 " "

Land Broken & hilly, timber same - poor
farming landEast On Rand^m. between Sec^s. 24 & 2540.00 At temp^y. of Sec. post80.09 intersected E. boundary 14 lns. N. of post
The first 1/2 mile land & timber same - the last
level, timber Beech, Maple, Gum, Poplar &c
underg^{ts} Spice & greenbrier, poor farming landWest On true line between Sec^s. 24 & 25

Sy N P & E. 2nd Mer. Indiana

45

40.04 1/2 Set q^r. Sec. post at average dist. from which
a Beech 9 mi. dia^r. beam 114 W 8 km. dist. of
a do 13 " " " N 33 E 19 " "
80.09 to Sec. Corner.

North Between Sec^s. 23 & 24

20.50 a Creek 100 km. wide Comes N.
26.34 a Beech 11 mi. dia^r.
40.00 Set q^r. Sec. post, from which
a Ladsapra 5 mi. dia^r. beam 11 E 2 km. dist. of
a do. 5 " " " N 31 W 9 " "
47.50 a small brook Comes E.
57.00 a do. do " E.
61.04 a Hickory 11 mi. dia^r.
80.00 A post Cor. to Sec^s. 13, 14, 23 & 24, which is
a Beech 18 mi. dia^r. (Marked for corner.
Land rolling, timber Beech, Sugar, Poplar,
&c.. The first 1/2 mile good farming land

East On Rand^m. between Sec^s. 13 & 24

15.00 a Brook 15 km. wide Comes SE.
40.00 Set temp^y. q^r. Sec. post of
80.79 intersected E. boundary 52 km. N. of post
Land rolling, timber Beech &c
good farming land

West On true line between Sec^s. 13 & 24

40.39 Set q^r. Sec. post at average dist. from which
a Beech 14 mi. dia^r. beam 182 W 21 km. dist. of
a do. 12 " " " N 26 E 14 " "
80.79 to Sec. Corner December 26. 1806

North Between Sec^s. 13 & 14

15.79 a B. Oak 48 mi. dia^r.
40.00 Set q^r. Sec. post, from which
a Beech 12 mi. dia^r. beam 147 W 19 km. dist. of

S 7 N R 8 E 2^d. Mer. Indiana ⁴⁷
ch² lth Land level, timber same, undngth Spruce
& Greenbrier, (middle farming farming land)

West On true line between Sec. 1 & 2
40.84 Set of Sec. post, from which
a Beech 18 in. dia. bray N 27 E 3 lth. dist. of
a Do. 9 " " " 150 E 28 " "
81.69 to Sec. Corner.

North Between Sec. 1 & 2
61.21 a P. Gum 30 in. diam.
36.50 a Small brook Course N.
40.00 Set of Sec. post at Beech 8 from which
a Beech 8 in. dia. bray N 88 E. 21 lth. dist. of
a Do. 20 " " " N 70 W 22 " "
56.69 a Do 8 " "
76.00 a Creek 15 lth. wide Course N
78.94 Intersected N. boundary 1.25 lth. N. of post
Set post Cor. to Sec. 1 & 2, from which
a Beech 14 in. dia. bray N 37 E 16 lth. dist. of
a Do. 27 " " " N 16 W 28 " "
Land rather rolling 2^d rate, timber Beech,
Sugar, Poplar, Ash &c. undngth Spruce, good
farming land. Dec. 27th 1806

North Between Sec. 34 & 35
00.50 a Creek 100 lth. wide Course S. E.
20.25 a Beech 10 in. dia.
22.00 a Creek 100 lth. wide Course S. W.
40.00 Set of Sec. post, from which
a Beech 7 in. dia. bray N 9 E 20 lth. dist. of
a Do. 15 " " " N 37 W 20 " "
55.50 a Creek 100 lth. wide Course S. E.
65.40 a Beech 11 in. dia.
80.00 Set post Cor. to Sec. 26 & 27, 34, 35, from which
a Beech 18 in. dia. bray N 85 E 19 lth. dist. of

Sy N. R & E. 2nd Mer. Indiana

ch. 1st m.

a Beech 12 in. diam. bray, S 63° N 27th lth. dist. of
Land rolling, timber Beech, Poplar, Sugar
Ash &c. middlingth. Spruce

East On Randm. between Sec. 26 & 35

40.00 Set temp. q^r. Sec. post

73.00 a Creek 10 lth. wide Course N.

79.98 Intersected the N & S. line 8 lth. S. of post
Land timber &c. same as on last mile

West On true line Between Sec. 26 & 35

39.99 Set q^r. Sec. post at average dist. from which
a Beech 12 in. diam. bray, N 50° E 17 lth. dist. of
an Elm 15 " " " N 45° W 10 " "

79.98 to Sec. Corner.

North Between Sec. 26 & 27, Sy N. R & E

20.00 a Creek 150 lth. wide Course S. W.

22.29 a W. Oak 18 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 15 in. diam. bray, S 71° E 15 lth. dist. of

a Do. 8 " " " N 3° W 29 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which

a W. Oak 24 in. diam. bray, S 2° E 20 lth. dist. of

a Beech 5 " " " N 16° E 14 " "

The first 3/4 mile land & timber same the last 3/4
broken, timber Oak & Beech, principally
poor farming land, middlingth. Dogwood

East On Randm. between Sec. 23 & 26

40.00 Set temp. q^r. Sec. post

75.00 a Creek 10 lth. wide Course South

80.16 Intersected the N & S. line 64 lth. S. of post

Land rather broken, timber Beech, Poplar,
Ash, Sugar &c. (Middling farming land)

Ty N. P. & E. 2nd Mer. Indiana

49

ch. lly

Nest On true line between Sec. 23 & 26

40.08 Set of Sec. post at average dist. from which
a Beech 14 in. dia. bray N 25 E 9 lms. dist. of

a Do. 11 " " " N 38 W 32 " "

80.16 to Sec. Corner. December 28th 1876

North Between Sec. 22 & 23

19.09 a Beech 13 in. dia.

40.00 Set of Sec. post, from which

a Beech 11 in. dia. bray N 70 E 32 lms. dist. of

a Do. 7 " " " N 68 W 33 " "

62.50 a Poplar 18 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which

an Elm 18 in. dia. bray N 22 W 22 lms. dist. of

a Beech 14 " " " N 8 W 23 " "

The first 1/2 mile rolling - the last level, timber.

Beech, Poplar, Gum, Oak &c. not good
farming land

East On Rand. between Sec. 14 & 23

40.00 Set temp. of Sec. post

79.11 intersected the N & S. line 31 lms. S. of post

Land level timber same, poor farming land

Nest On true line between Sec. 14 & 23

39.55 Set of Sec. post at average dist. from which

a Beech 14 in. dia. bray N 31 E 5 lms. dist. of

a Do. 11 " " " N 43 W 26 " "

79.11 to Sec. Corner.

North Between Sec. 14 & 15

26.50 a Beech 8 in. dia.

40.00 Set of Sec. post, from which

a Beech 6 in. dia. bray N 28 E 11 lms. dist. of

a Do. 11 " " " N 11 W 16 " "

61.77 a Sugar 10 " "

Spk R & E. 2nd Mer. Indiana

ch² 1/2
80.00 Let post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 11 in. dia. bray S 25° 12' 12' E. dist. of
a Do. 9 " " " N 60° E 28 " "
Sand timber &c. Same as on the last mile

East On Rand^m. between Sec. 11 & 14

40.00 Let temp. q^r. Sec. post

78.13 intersected the N & S. line 56 l^{hs}. South of
post, Sand timber &c. Same as last mile

West On timber line between Sec. 11 & 14

39.06 Let q^r. Sec. post at average dist. from which
a Beech 18 in. dia. bray S 83° 11' 3' E. dist. of
a Do. 7 " " " " S 88° E 15 " "
78.13 to Sec. Corner

North Between Sec. 10 & 11

21.41 a W. Ash 10 in. dia.

25.00 a Brook 12 l^{hs}. wide Course West

40.00 Let q^r. Sec. post, from which

a Beech 9 in. dia. bray S 51° 17' E. dist. of
a Do. 9 " " " " S 37° 14 " "

60.17 a Beech 6 " "

80.00 Let post cor. to Sec. 2, 3, 10 & 11, in Creek 150
l^{hs}. wide Course N.W., from which
a Gum 12 in. dia. bray S 21° 14' 46' E. dist. of
a Sugar 12 " " " " N 60° E 52 " "
Land rather rolling, timber Beech, Sugar,
Poplar &c. (Middle good farming land)

East On Rand^m. between Sec. 2 & 11

40.00 Let temp. q^r. Sec. post

78.32 intersected the N & S. line 103 l^{hs}. S. of post
Land rolling, timber Beech, Poplar, Sugar &c
underg^m. Spruce, (Middle good farming land)

51

Ty N. R8 E. 2^d Mer. Indiana

ch^d 1st 1st
West On true line Between Sec. 1, 2 & 11
39.16 Set q^r. Sec. post at average dist. from which
a Beech 12 in. dia^r. bear S 9 E 33 lth. dist. to
a Do. 12 " " " N 23 E 3 " "
78.32 to Sec. Corner

North Between Sec. 1, 2 & 3, Ty N. R8 E.
23.00 a Creek 120 lth. wide Course S. E.
40.00 Set q^r. Sec. post, from which
a Beech 15 in. dia^r. bear S 4 E 14 lth. dist. to
a Sugar 9 " " " N 84 W 30 " "
54.00 a Creek 100 lth. wide Course S. W.
65.79 a Beech 6 in. dia^r.
79.41 intersected the N. boundary 38 lth. N. of post
Set post cor. to Sec. 1, 2 & 3, from which
a Beech 5 in. dia^r. bear S 61 W 16 lth. dist. to
a Sugar 12 " " " N 47 E 9 " "
Land rolling, timber Beech, Poplar, Sugar,
Syc. & und^rg^r. Spruce, (Middling good farming land)

December 31st 1806.

North Between Sec. 1, 33 & 34, Ty N. R8 E.
27.13 a Beech 8 in. dia^r.
40.00 Set q^r. Sec. post, from which
a Beech 13 in. dia^r. bear S 77 W 30 lth. dist. to
a Do. 24 " " " N 77 E 30 " "
65.13 a Beech 24 " " "
80.00 Set post cor. to Sec. 1, 27, 28, 33 & 34, from which
a Beech 11 in. dia^r. bear N 47 E 16 lth. dist. to
a Do. — " " " S 72 W 19 " "
Land level, timber Beech, Oak, Hickory, ash
Sugar &c. not much undergrowth, hardly
Middling. farming land.

East On Rand^m. between Sec. 1, 27 & 34
40.00 Set temp^y. q^r. Sec. post

52

Sy N R & E. 2^d Mer. Indiana

ch. lks

75.00 a Creek 10 lks. wide Course S. W.

80.50 Intersected the N & S. line 8 lks. S. of post
The first 1/2 mile broken, timber same; the
last 1/2 Creek bottom & good farming land

West On true line between Secs. 27 & 34

40.25 Set q. Sec. post at average dist. from which
a Beech 15 mi. dist. by N 59 E 35 lks. dist. of
a Do. 13 " " " S 57 W 16 " "80.50 to Sec. Corner. January 1st 1807

North Between Secs. 27 & 28

40.00 Set q. Sec. post, from which
a Beech 12 mi. dist. by N 79 E 24 lks. dist. of
a Do. 8 " " " " N 77 W 21 " "

62.69 a S. Gum 18 " "

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
a Beech 12 mi. dist. by N 70 W 26 lks. dist. of
a W. Oak 18 " " " " N 65 E 23 " "Land very level, timber Beech, Oak Gum,
Sycamore &c poor farming landEast On Rand^m. between Secs. 22 & 27

40.00 Set temp. q. Sec. post

81.05 Intersected the N & S. line 60 lks. S. of post
Land timber &c. same, (not much winding^{tho})

West On true line between Secs. 22 & 27

40.52 1/2 Set q. Sec. post at average dist. from which
a S. Gum 30 mi. dist. by South 5 lks. dist. of
a W. Oak 30 " " " " N 24 W 28 " "

81.05 to Sec. Corner

North Between Secs. 21 & 22

22.86 a Beech 12 mi. dist.

40.00 Set q. Sec. post, from which

53

Tpt R8E. 2^d. Mer. Indiana

chth

a Beech 14 mi. dist. from N10E16th. dist. of
 a do. 30 " " " N42W42 " "
 58.58 a do. 16 " "
 80.00 At post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 12 mi. dist. from N48E11th. dist. of
 a do. 15 " " " N64W21 " "
 Land & timber same, poor farming land

East On Rand^m. between Sec. 15 & 22

40.00 At temp. gr. Sec. post
 81.30 intersected the N & S line 51 th. S. of post
 Land timber &c. same as last mile

West On timberline between Sec. 15 & 22

40.65 At gr. Sec. post at average dist. from which
 a Beech 10 mi. dist. from N4W36th. dist. of
 a do. 8 " " " N20E16 " "
 81.30 to Sec. Corner

North Between Sec. 15 & 16

40.00 At gr. Sec. post, from which
 a Beech 10 mi. dist. from West 10th. dist. of
 a W. Oak 15 " " " N80E30 " "
 63.82 a Poplar 36 " "
 80.00 At post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 10 mi. dist. from N22W22th. dist. of
 a do. 13 " " " N11W22 " "
 Land timber &c. same as on the last mile

January 2^d, 1807

East On Rand^m. between Sec. 10 & 15

40.00 At temp. gr. Sec. post
 77.00 a small brook comes N.W.
 80.75 intersected the N & S line 60 th. S. of post
 Land level, timber Beech, Poplar, Sugar
 &c. middling farming land

Sy N P & E. 2nd Mer. Indiana

ck 2nd Mer.
West On true line between Sec. 10 & 15
40.37 Set of Sec. post at average dist. from which
a Sugar 15 in. dia. - bear N 32° W 31 lrs. dist. of
a Beech 14 " " " S 26° E 19 " "
80.75 to Sec. Corner

North Between Sec. 9 & 10
21.63 a Beech 14 in. dia.
40.00 Set of Sec. post, from which
a Poplar 27 in. dia. - bear S 68° W 13 lrs. dist. of
a Do. 27 " " " S 47° E 12 " "
55.50 a Creek 20 lrs. wide corner NW
65.32 a W. Ash 15 in. dia.
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 6 in. dia. - bear S 59° W 15 lrs. dist. of
a Do. 10 " " " N 49° E 22 " "
The first 1/2 mile level - the last rolling, timber
Beech, Sugar, Poplar, Ash &c., under 1st & 2nd price
good farming land

East On Rand 8th between Sec. 3 & 10
40.00 Set temp. of Sec. post
79.60 Intersected the N & S line 50 lrs. S. of post
Land rolling, timber Beech, Poplar, Sugar, Ash
&c. Middle of farming land

West On true line between Sec. 3 & 10
39.80 Set of Sec. post at average dist. from which
a Beech 24 in. dia. - bear N 75° W 41 lrs. dist. of
a Do 24 " " " S 61 1/2° E 13 " "
79.60 to Sec. Corner

North Between Sec. 3 & 4
24.35 a Beech 16 in. dia.
40.00 Set of Sec. post, from which
a Sugar 18 in. dia. - bear S 72° W 30 lrs. dist. of

55

Sy N 108 E. 2^d Mer. Indiana
chth

a Beech 6 in. dia. - bran N 84 E 7 lbr. dist. of
47.50 a Creek 150 lbr. wide Course S. W.
60.84 a Sugar 9 in. dia.
79.67 Intersected the St. boundary 6 lbr. N. of post.
Set post Cor. to Sec. 3 & 4, from which
a Beech 8 in. dia. - bran N 58 E 25 lbr. dist. of
a B. Walnut 27 " " " N 34 E 20 "
The first $\frac{1}{4}$ mile very broken - last $\frac{3}{4}$ rolling
timber Beech, Sugar, Poplar, &c. undergth
Spruce, Muddling farming land.

January 3^d 1807

North Between Sec. 32 & 33, Sy N 108 E.
40.00 Set q. Sec. post, from which
a Beech 11 in. dia. - bran N 16 E 4 lbr. dist. of
a Do. 8 " " " North 25 "
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a S. Gum 9 in. dia. - bran N 89 E 15 lbr. dist. of
a Maple 6 " " " N 49 E 13 "
Land rather rolling, timber, Beech, Oak, Gum
Poplar &c., undergth Dogwood, poor farming
land.

East On Ran 9^m. between Sec. 28 & 33
40.00 Set temp. q. Sec. post
79.30 Intersected the St. line 4 lbr. N. of post
First $\frac{1}{2}$ mile rolling & middling farming land
timber same, the last $\frac{1}{2}$ flat & poor farming land.

West On true line between Sec. 28 & 33
39.65 Set q. Sec. post at average dist. from which
an Elm 13 in. dia. - bran N 63 E 32 lbr. dist. of
a Do. 13 " " " S 77 W 28 " " Comp
79.30 to Sec. Corner

North Between Sec. 28 & 29

S. N. R. & E. 2nd Mer. Indiana

ch. l. h.

19.50 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
a Beech 11 in. dia. bears S 6 W 19 lks. dist. &
a W. Oak 18 " " " N 24 E 21 " "

67.03 a Beech 20 " "

80.00 Set post Cor. to Sec. 20, 21, 28, & 29, from which
a Hackberry 15 in. dia. bears N 81 W 30 lks. dist. &
a Sugar 8 " " " S 57 E 47 " "
Land rather rolling timber same middling farming
Land -

East On Random between Sec. 21 & 28

40.00 Set temp. q. Sec. post.

79.08 Intersected the N. & S. line 67 lks. N. of post.
first 1/2 mile land timber same last 1/2 mile flat
timber Beech, Oak, Gum, Hickory poor farming Land.

West Corrected between Sec. 21 & 28.

39.54 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bears N 66 E 21 lks. dist. &
a Do. 15 " " " S 79 W 47 " "

79.08 to Sec. Corner.

North Between Sec. 20 & 21

25.37 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
a Beech 16 in. dia. bears N 64 E 15 lks. dist. &
a Do. 14 " " " S 73 W 33 " "

59.57 a Do. 13 " "

74.00 a Brook 10 lks. wide Course N.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 7 in. dia. bears N 74 E 23 lks. dist. &
a Do. 30 " " " S 83 W 19 " "
Land rolling, timber, Sugar, Beech, Poplar,
Ash &c. including Spruce, good farming land

Tyler P & E. 2nd Mer. Indiana

57

Ch. 1st

January 4th 1807

var. 6.10'E.

East On Rand^m. between Sec^s. 16 & 21

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 110 l^{hs}. N. of post
Land level, timber Beech, Poplar, Gum,
Hickory &c. poor farming land

West On true line between Sec^s. 16 & 21

~~19.69 a Beech 10 m. dist.~~

40.00 Set q^r. Sec. post at average dist. from which
a Beech 14 m. dist. by N 4 E 16 l^{hs}. dist. of
a do. 12 " " " N 6 E 40 " "

80.00 to Sec. Corner

North Between Sec^s. 16 & 17

19.69 a Beech 10 m. dist.

40.00 Set q^r. Sec. post, from which
a Beech 18 m. dist. by S 29 E 16 l^{hs}. dist. of
a do 11 " " " West 17 " "

63.50 a Hickory 15 " "

80.00 Set post Cor. to Sec^s. 8, 9, 16 & 17, from which
a W. Oak 15 m. dist. by N 10 E 14 l^{hs}. dist. of
a Beech 8 " " " N 10 W 15 " "

Land level timber Beech, Oak, Poplar,
Gum &c. some Spicebush &c. poor farming land

East On Rand^m. between Sec^s. 9 & 16, var. 5.20'E.

40.00 Set temp^y. q^r. Sec. post

80.30 Intersected the N & S. line 5 l^{hs}. S. of post
Land timber &c. Same as on last mile

West On true line between Sec^s. 9 & 16

40.15 Set q^r. Sec. post at average dist. from which
a Beech 8 m. dist. by N 5 W 7 l^{hs}. dist. of
a W. Oak 15 " " " S 7 W 19 " "

80.30 to Sec. Corner.

T. N. R & E. 2nd Mer. Indianach. 2nd Mer.

North Between Sec. 8 & 9

21.58 on Elm 10 mi. dist.

40.00 a Beech 18 " " Marked for gr. Sec. Cor.

63.33 a Beech 12 " "

80.00 At post Cor. to Sec. 4, 5, 8 & 9, from which
a Poplar 18 in. diam. bear N 28° W 21 lks. dist. of
a Beech 11 " " " N 46° E 35 " "

Land level, timber same, (middling farm) land

East On Rand. between Sec. 4 & 9

38.00 a Brook 15 lks. wide Course N.E.

40.00 At temp. gr. Sec. post

80.78 Intersected the S. line 21 lks. S. of post
Land rolling timber Beech, Poplar, Sugar
Ash &c. the last 1/2 mile good farming land

West On true line between Sec. 4 & 9

40.39 At gr. Sec. post at average dist. from which
a Beech 4 in. diam. bear North 22 lks. dist. of
a Do. 9 " " " N 29° W 15 " "

80.78 to Sec. Corner.

North Between Sec. 4 & 5

14.00 a Creek 150 lks. wide Course N.W.

24.21 a Beech 5 mi. dist.

25.00 a Bend in a Creek 15 lks. wide Course N.W.

40.00 At gr. Sec. post, from which
a Beech 14 in. diam. bear N 85° W 21 lks. dist. of
a Sugar 12 " " " S 58° E 28 " "

66.94 a Beech 20 " "

78.14 Intersected N. boundary 69 lks. N. of post
At post Cor. to Sec. 4 & 5, from which
a Beech 12 in. diam. bear S 86° E 20 lks. dist. of
a Do. 11 " " " S 63° W 35 " "
Land broken, timber Beech, Sugar, Poplar,
Ash &c. middlingth Specie, poor farming land

Ty. N. R. & E. 2nd. Mer. Indiana

59

ch. 2nd M^{ile}

North Between Secs. 31 & 32. Jan. 5th 1807

27.05 a Beech 12 mi. dist.

40.00 Let q. Sec. post, from which

a W. Oak 36 mi. dist. bear South 58 lth. dist. of

a Beech 7 " " " N 33 E 11 " "

59.59 an Elm 20 " "

80.00 Let post Cor. to Secs. 29, 30, 31 & 32, from which

a Hickory 10 mi. dist. bear West 13 lth. dist. of

a Beech 27 " " " S 82 E 28 " "

Land rolling timber Beech, Poplar, Oak
Hick. &c. m^{id}ling^g. Dogwood, poor land

East On Land^m. between Secs. 29 & 32

40.00 Let temp. q. Sec. post

80.10 intersected the N & S. line 47 lth. S. of post.

The first 1/2 mile rolling - the last 1/2 mile level
timber same, poor farming land

West On true line Between Secs. 29 & 32

40.05 Let q. Sec. post at average dist. from which

a Beech 14 mi. dist. bear N 33 E 15 lth. dist. of

a Do. — " " " S 47 W 8 " "

80.10 to Sec. Corner.

West Between Secs. 30 & 31

24.27 a Beech 8 mi. dist.

40.00 Let q. Sec. post, from which

a Beech 24 mi. dist. bear S 87 E 42 lth. dist. of

a Do. 10 " " " N 88 W 21 " "

59.18 a Hickory 18 " "

72.28 intersected N. boundary 200 lth. N. of post

Let post Cor. to Secs. 30 & 31, from which

a Beech 12 mi. dist. bear S 5 E 8 lth. dist. of

a Do. 10 " " " N 26 W 32 " "

Land rolling, timber, Beech, Poplar, Sugar
Oak, Oak &c. (m^{id}ling farming land)

S. N. R. E. 9th Mer. IndianaCh. 1st M.

North Between Secs. 29 & 30

30.94 a W. Oak 13 m. dist.

40.00 Set of Sec. post, from which

a W. Oak 18 m. dist. bear N 85° W 36 lns. dist. of

a do. 24 " " " " 166 E 15 " "

62.88 a Poplar 20 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which

a Hickory 7 m. dist. bear N 78° E 22 lns. dist. of

a Beech 12 " " " " 158° W 15 " "

Land some rolling, timber same, middling
farming land.East On Rand^m between Secs. 20 & 2940.00 Set temp^y. of Sec. post

47.00 a Small brook Corner N.

80.19 Intersected the N & S. line 9 lns. N. of post

Land timber &c. same as last mile

West On true line between Secs. 20 & 29

40.09 1/2 Set of Sec. post at average dist. from which

a Beech 10 m. dist. bear N 76° E 23 lns. dist. of

a W. Oak 36 " " " " 176° W 26 " "

80.19 to Sec. Corner. Jan. 6th 1807

West Between Secs. 30 & 19

23.91 a W. Oak 13 m. dist.

40.00 Set of Sec. post, from which

a Beech 11 m. dist. bear N 41° E 10 lns. dist. of

a Sugar 11 " " " " 127° E 29 " "

61.74 a Beech 12 " "

70.79 Intersected N. boundary 96 lns. N. of post

Set post Cor. to Secs. 19 & 30, from which

a W. Oak 24 m. dist. bear N 37° W 11 lns. dist. of

a Beech 9 " " " " N 67° E 40 " "

Land timber &c. same as on last mile

T. N. R. E., 2nd Mer. Indiana 61

Ch. P. L. H.

North Between Sec. 19 & 20

40.00 Lat. of Sec. post, from which
a Beech 6 in. dia. - 14 ft. dist. of
a do. 10 " " " N 37° W 17 " "

65.00 a Beech 12 " "

80.00 Lat. post Cor. to Sec. 17, 18, 19 & 20, from which
a Sugar 24 in. dia. - 14 3/4 E 12 ft. dist. of
an Elm 30 " " " N 65° E 27 " "

Land rolling, timber Beech, Oak, Poplar, &c.
under ^{the} Spruce, Dogwood, Sassafras & green-
hick, hardly (muddling farming land)

West Between Sec. 18 & 19

22.27 a Beech 10 in. dia.

40.00 Lat. of Sec. post, from which
a Beech 18 in. dia. - 12 E 33 ft. dist. of
a do. 18 " " " N 33° E 15 " "

60.40 a Sugar 12 " "

62.50 a Creek 40 ft. wide Course S.

70.78 Intersected N. boundary 18 ft. N. of post
Lat. post Cor. to Sec. 18 & 19, from which
a Beech 16 in. dia. - 16 E 20 ft. dist. of
a do. 12 " " " N 38° W 40 " "

Land rolling, timber Beech, Poplar, Sugar,
Ash &c. under ^{the} Spruce, good 2nd rate land
good farming land

East On Rand^m, between Sec. 17 & 20

12.50 a Creek 20 ft. wide Course N. W.

80.18 Intersected N. & S. line 18 ft. S. of post

The first 1/2 mile rolling, timber same - the last
1/2 level, timber Beech, Poplar, Gum, Ash &c.
under ^{the} Spruce, green hick, &c. (muddling
farming land)

West On true line between Sec. 17 & 20

62

T. N. R & E. 2nd Mer. Indianach. 2nd Mer.

40.09 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia. - bear S 63° E 16 km. dist. of
 a do. 12 " " " N 34° W 30 " "
 80.18 to Sec. Corner.

North Between Sec. 17 & 18

3.00 a Creek 30 km. wide Course N. W.
 28.15 a Beech 8 in. dia.
 31.00 a Creek 20 km. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. - bear S 46° W 15 km. dist. of
 a W. Ash 20 " " " N 49° E 30 " "
 63.13 a Beech 24 " "
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 7 in. dia. - bear S 83° W 14 km. dist. of
 a Hickory 12 " " " S 60° E 16 " "
 The first 1/2 mile rolling, timber Beech,
 Poplar, Sugar, Ash, Walnut &c. good farming
 land - last 1/2 flat & poor, timber Oak, Gum
 Maple &c.

East On Randm. between Sec. 8 & 17

40.00 Set temp. q. Sec. post
 80.69 intersected the N & S. line 41 km. N. of post
 Land flat, timber Beech, Gum, Oak &c.
 Not much underg. - poor farming land

West On true line between Sec. 8 & 17

40.34 Set q. Sec. post at average dist. from which
 a Beech 16 in. dia. - bear S 49° W 19 km. dist. of
 a do. 18 " " " S 66° E 18 " "
 80.69 to Sec. Corner. Jan'y. 7th 1807

West Between Sec. 7 & 18

3.82 a Beech 8 in. dia.
 40.00 Set q. Sec. post, from which

63

Tyler R & E. J. Mer. Indiana

ch. 2, 1/4

a Beech 18 mi. dist. from N 84 E 17 1/2 mi. dist. of
 a do. 15 " " " " N 50 W 36 " "
 61.06 a do. 18 " " " " " "
 71.45 intersected the N. boundary 350 1/2 mi. N. of
 post. Let post Cor. to Sec. 7 & 18, from which
 a Beech 10 mi. dist. from N 81 E 10 1/2 mi. dist. of
 a do. 10 " " " " " " N 89 W 18 " "
 Sand timber &c. Same as last mile

North Between Sec. 7 & 8

20.95 a Beech 5 mi. dist.
 40.00 Let q. Sec. post, from which
 a Beech 5 mi. dist. from S 9 E 7 1/2 mi. dist. of
 a do. 18 " " " " " " N 19 W 23 " "
 58.70 a Beech 12 " " " " " "
 80.00 Let post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 15 mi. dist. from S 4 N 35 1/2 mi. dist. of
 a do. 12 " " " " " " N 13 W 32 " "
 Sand level, timber Beech &c. including Spruce
 & green birch, (middling farming land)

West Between Sec. 6 & 7

26.32 a Beech 11 mi. dist.
 40.00 Let q. Sec. post, from which
 a Beech 14 mi. dist. from East 15 1/2 mi. dist. of
 a do. 8 " " " " " " S 76 W 7 " "
 48.26 intersected Boundary line, let post, from which
 a Beech 10 mi. dist. from N 43 W 5 1/2 mi. dist. of
 a do. 12 " " " " " " N 60 E 15 " "
 70.51 a Hickory 20 " " " " " "
 73.26 intersected N. boundary 315 1/2 mi. N. of post
 Let post Cor. to Sec. 6 & 7, from which
 a Beech 12 mi. dist. from N 43 E 21 1/2 mi. dist. of
 a do. 6 " " " " " " N 71 W 15 " "
 Broken 2nd rate land, Beech, ash, sugar
 &c. including Spruce &c.

64

T^y N. R & E. 2nd Mer. Indianach. 1stEast On Rand^m. between Sec. 5 & 840.00 Set temp^y. of Sec. post80.65 Intersected the N & S. line 46th. N. of post
The 1st. 1/2 mile flat & poor - the last 1/2 broken
timber Beech, Sugar, Ash, Poplar &c.
poor farming land

West On true line between Sec. 5 & 8

40.32 Set of Sec. post at average dist. from which
a Beech 24 in. dia. beam 157 N 20th. dist. of
a do. 8 " " " S 86 E 12 " "

80.65 to Sec. Corner

North Between Sec. 5 & 6

33.23 Intersected boundary in a creek 150th.
wide Course N.W. (No bearing trees taken
Continued by B. F. Morris40.00 Set of Sec. post, from which
a Sugar 12 in. dia. beam West 6th. dist. of
a Beech 24 " " " N 12 E 16 " "

57.90 a Beech 30 " "

75.90 Intersected the N. boundary 75th. E. of
post Set post, Cor. to Sec. 5 & 6, from which
a Beech 36 in. dia. beam West 25th. dist. of
a do. 5 " " " S 5 E 16 " "Ailly 3rd. rate land, timber Beech &cNovember 18th 1819Surveyed in Dec. 1806 & Jan^y. 1807 By
William Harris

Deputy Surveyor

The small fraction N.W. of Boundary line
Surveyed in 1819 By

Balthus S. Morris,

Deputy Surveyor

I Certify that the foregoing transcript of
 field Notes of township N. 7th North, Range
 N. 8 E. 2nd Mer. Indiana, has been Comp.
 with the Original notes in this Office, and
 found to be Correct.

Surveyor General's Office
 Cincinnati, Sept. 23. 1842

William Johnston
 Sur. Genl.